

WATER AND FOOD CONTACT APPROVALS

Plascoat PPA 571

Industry	Country	Approval	Plascoat product variants covered	Expiry
Water	UK	WRAS	PPA 571 black 700, PPA 571 Blue 536, PPA 571 ES Blue 536, For use with water up to 23°C.	Sept 2016
Water	Germany	W270 of DVGW	PPA 571 Blue 536	2019
Food	EC	Directive 2002/72/EC and Regulation 1935 (2004)	PPA 571 and PPA 571 ES (not colour specific)	No expiry date
Food	Germany	89/109/EWG and BfR	PPA 571 and PPA 571 ES (not colour specific)	No expiry date
Food	Japan	Japanese food and sanitation law	PPA 571 and PPA 571 ES (not colour specific)	No expiry date
Food	USA	FDA CFR21	PPA 571 ES (not colour specific)	No expiry date

Plascoat PPA 571H

Industry	Country	Approval	Plascoat product variants covered	Expiry
Water	UK	WRAS	PPA 571 HES Blue 536 & PPA 571H Blue 536. For use with water up to 23°C.	Sept 2016
Water	USA	ANSI/NSF standard	PPA 571 HES NAR Blue 536	No expiry date

Plascoat PPA 571 Aqua

Industry	Country	Approval	Plascoat product variants covered	Expiry
Water	UK	WRAS	PPA 571 Aqua Blue 536 For use with water up to 23°C.	October 2017
Water	Germany	KTW	PPA 571 Aqua Blue 536 For use with water up to 23°C.	July 2016
Water	Germany	DVGW	PPA 571 Aqua (not colour specific)	June 2018
Water	USA	NSF	PPA 571 Aqua Black 700, Blue 536, Brown 838, Red 233 and White 110	No expiry date
Water	France	ACS	PPA 571 Aqua Blue 536	January 2019
Water	Australia and NZ	AS/NZS 4020	PPA 571 Aqua Blue 536	N/K

Plascoat Talisman 30

Industry	Country	Approval	Plascoat product variants covered	Expiry
Food	USA	FDA CFR21	Talisman 30 ES (Not colour specific)	No expiry date
Food	EU	EU regulation 10/2011	Talisman 30 White 110	No Expiry date

Plascoat Talisman 10

Industry	Country	Approval	Plascoat product variants covered	Expiry
Food	USA	FDA CFR21	Talisman 10 Silver Grey 630S, Stratus Grey 665S and White 110	No expiry date
Food	EU	EU regulation 10/2011	Talisman 10 white 110, 140, Grey 659, Silver 664S, Silver Grey 630S, Silver Grey 680S	No Expiry date

Plascoat NG30

Industry	Country	Approval	Plascoat product variants covered	Expiry
Food	USA	FDA CFR21	NG30 White 110	No expiry date
Food	EC	Directive 90/128/EEC	NG30 White 110	No expiry date
Food	EC	Directive 2002/72/EC and Regulation 1935 (2004)	NG30 White 110	No expiry date
Food	EC	EU regulation 10/2011	NG30 White 140	No Expiry Date

Plascoat NG10

Industry	Country	Approval	Plascoat product variants covered	Expiry
Food	EC	Directive 90/128/EEC	NG10 White 110	No expiry date

Plascoat WireGuard F40

Industry	Country	Approval	Plascoat product variants covered	Expiry
Food	EC	EU regulation 10/2011	WireGuard F40 White 110 and 140	No Expiry Date

QUALITY

Plascoat is committed to the manufacture and supply of a wide range of thermoplastic coating powders. This service is backed by the unrivalled experience of over 50 years of powder coating application. With a policy of continuous improvement to its range of products, Plascoat reserves the right to alter or amend any item. Stringent quality control procedures are carried out at every relevant stage of manufacture and Plascoat operates a quality management system approved by BSI in accordance with ISO 9001:2008.

Plascoat can also offer, through its factories in Europe, specialist plastic coating equipment, an extensive custom coating service and a size reduction service for plastics and other materials.

Plascoat is a subsidiary member of the IPT Group of companies. Plascoat is an EU registered trade name.

DISCLAIMER

The information given here is, to the best of our knowledge, true and accurate.

Product and item design, pre-treatment, coating conditions, quality assurance and conditions of product end use are among the factors that affect performance of the coated products and are outside Plascoat control.

Conditions under which our materials may be used are beyond our control. The suitability for application and performance of finished goods coated with Plascoat material is the sole responsibility of the customer and end user.

Plascoat expressly denies specific or implied warranties including warranties for fitness for a particular use or purpose.